



**V64
V65**

**Platform
stairlifts**

VIMEC
Easy moving

V64

Platform stairlifts
the straight inclined platform lift

VIMEC
Easy moving

Accessibility to all public and private premises, in complete safety its the ideal solution for a strait staircase.

The V64 wheelchair platform, travels on a straight rail (ideal for one flight of stairs), is exceptionally safe and convenient.

Versatile

Installation of the V64 does not require any building work and does not interfere with the interior design style.

Strong and reliable

The V64 is suitable for both indoor and outdoor installation, thanks to design features that ensure a long working life and unbeatable performance even in sevier weather conditions.



Flexible

The V64 is available in three models:

standard - with compact platform for installation on small-sized staircases and landings;

large - with larger platform for wheelchairs with specific space requirements;

extralarge - with oversized platform to meet all transportation needs.

Technology with convenience

The V64 has a radio control, state-of-the-art active and passive personal protection devices, and retractable safety arms to reduce head room space when the unit is not in use.

The V64 stairlift ensures full independence and safety to the user, thanks to its simplicity and technology

Optionals

- Protective cover
- Automated platform folding device
- Special size platform
- Sound signal for movement
- Blinking light signal
- Foldable seat
- Remote control post
- Retracting arms
- Radio controls
- Fire-resistant plastic sections
- Additional safety chain



Standard outfit

- Controls protected against unintentional use, constant pressure operated
- Removable key
- Emergency stop
- Manual emergency manoeuvre
- Progressively operated mechanical safety gear
- Speed limiter
- Automatic safety edges
- Supporting handle
- Electric safety limit switches
- Shock-absorbing, anti-shearing, anti-crushing devices
- Acoustic and optical (light) overload alarm
- Preset for EN 81/40



V64 - INDOOR AND OUTDOOR MODEL

| | STANDARD | LARGE | EXTRA LARGE |
|-----------------------------------|-----------------------|---------------|---------------|
| Minimum stair width | mm 970 | 1040 | 1070 |
| Tolerated gradient | degrees from 0 to 50° | from 0 to 50° | from 0 to 50° |
| Minimum size of rail | mm 100 | 100 | 100 |
| Minimum size with folded platform | mm 370 | 370 | 370 |
| Platform dimensions | 830x700 | 1050x770 | 1250x800 |
| Capacity up to 45° | 250 kg | 250 kg | 250 Kg |
| Capacity beyond 45° | 200 Kg | 200 Kg | 200 Kg |
| Speed | 5 m / min. | 5 m / min. | 5 m / min. |
| Power supply | 230 volt | 230 volt | 230 volt |
| Power consumption | 0,75 Kw | 0,75 Kw | 0,75 Kw |

Disponibile versione con portata fino a 300 Kg

The data are indicative and not binding. Vimec reserves the right to make any modifications considered necessary.

- In conformity with:
- the European Directive 2006/95/CEE - Low Voltage
 - the European Directive 2004/108/CEE - EMC
 - the European Directive 42/2006/CEE - Machinery Directive (manufacturer's certification)



The V64 and V65 stairlifts represent the evolution of thirty years of Vimec's experience in the accessibility; the thousands of installation in Italy and worldwide testify the spread of solutions always appreciated for reliability and versatility





The V65 is able to tackle constant or variable gradients, adapting to the incline variation of a landing or flight of stairs.



Flexible

The V65 is available in three models:

standard - with compact platform for installation on small-sized staircases and landings;

large - with larger platform for wheelchairs with specific space requirements;

extralarge - with oversized platform to meet all transportation needs.

Versatile

Installation of the V65 does not require any building work, and does not interfere with the interior design style.

Quiet and energy-saving

Thanks to the latest-generation power supply unit that guarantees outstanding energy saving, the V65 recharges its batteries during descent, maintaining unrivalled standards of smooth and quiet operation.

Strong and reliable

The V65 is suitable for both indoor and outdoor installation, thanks to design features that ensure a long working life and unbeatable performance even in sevier weather conditions.

Technology and safety with convenience

The V65 has radio control, state-of-the-art active and passive personal protection devices, and retractable safety arms to reduce head room space when the unit is not in use.



Platform stairlifts
the curved inclined platform lift

VIMEC
Easy moving



Vimec installations take place in prestigious international museums, subways, banks, restaurants overcoming slopes and barriers of all kinds



The V65 stairlift ensures comfort and safety over any kind of path

Standard outfit

Controls protected against unintentional use, constant pressure operated
Removable key
Emergency stop
Manual emergency manoeuvre
Progressively operated mechanical safety gear
Speed limiter

Automatic protector panels
Supporting handle
Electric safety limit switches
Shock-absorbing, anti-shearing, anti-crushing devices
Blackout emergency battery back up
Acoustic and optical (light) overload indicator

1) V65 with independent bars



1

2) V65 with retracting bars



Optionals

Protective cover
Automated platform folding device
Special size platform
Sound signal for movement
Blinking light signal
Intermediate stops
Foldable seat
Retracting bars that fit into the actual body of the machine (excluding 1250x800 platform)
Remote control post
Radio controls

V65 - INDOOR AND OUTDOOR MODEL

| | STANDARD | LARGE | EXTRA LARGE |
|-----------------------------------|-----------------------|---------------|---------------|
| Minimum stair width | mm 1130 | 1250 | 1320 |
| Tolerated gradient | degrees from 0 to 50° | from 0 to 50° | from 0 to 50° |
| Minimum size of rail | mm 160 | 160 | 160 |
| Minimum size with folded platform | mm 430 | 430 | 430 |
| Platform dimensions | 830x700 | 1050x770 | 1250x800 |
| Capacity up to 45° | 250 kg | 250 kg | 250 Kg |
| Capacity beyond 45° | 200 Kg | 200 Kg | 200 Kg |
| Speed | 8 m / min. | 8 m / min. | 8 m / min. |
| Power supply | 230 volt | 230 volt | 230 volt |
| Power consumption | 1 Kw | 1 Kw | 1 Kw |

Disponibile versione con portata fino a 300 Kg

(*) the data refer to the version without seat and without frontal access.

The data are indicative and not binding. Vimec reserves the right to make any modifications considered necessary.

In conformity with:

- the European Directive 2006/95/CEE - Low Voltage
- the European Directive 2004/108/CEE - EMC
- the European Directive 42/2006/CEE - Machinery Directive (manufacturer's certification)



Vimec s.r.l. - Via Parri, 7 - 42045 Luzzara - Reggio Emilia - Italy
Tel. + 39 0522 970 666 Fax +39 0522 970918
www.vimec.biz info@vimec.biz

Vimec abroad: Madrid (Spain), London (United Kingdom),
Avignon (France), Warsaw (Poland)



Guaranteed product

The Vimec product is guaranteed for 24 months from the date of delivery to the customer; the guarantee can be extended by contacting the local service centres.

PSP: serving the partners

Partner Support Program: a Vimec exclusive for its partners, aiming to supply each of them, all over the world, with a series of personalised tools for developing their business and offering the end user better service. This programme includes an introduction to the concepts of “accessibility”, specific classroom training courses and training in the field for sales staff and engineers, analysis and assistance for the development of the most appropriate market strategies, and backup for the organisation of seminars (e.g. for architects, civil engineering firms, etc.) and for participation at trade fairs. Close co-operation with its partners guarantees Vimec constant improvement of its knowledge of the various markets and their varying needs in terms of accessibility, which translates into the design of suitable products. All is oriented towards better management of customer relations, and the achievement of full customer satisfaction.

VIMEC Range



A wide range of products dedicated to people: home lifts and elevators, chairlifts and stairlifts, platform lifts and mobile stair climbers.