

Unit 17 N12 Industrial Park Bartlett Boksburg 1459

Tel: 011 918 7060 Cell: 082 667 4964

Web: www.handsonlifts.co.za





# Manage the space

# **Empower your parking**

## **Comfortable environment with Hands On Lifts**

There have never been as many cars in the world as there are today. Two or even three cars often "live" in one family, and the issue of parking is one of the most acute and urgent in modern realities. Each of us is periodically faced with a situation when you

you need to find a parking place near your home, work place, shopping center, cultural site, etc. But more often than not you have to spend a lot of time to find a suitable one.



# TABLE OF CONTENTS



01 Parking Lifts

HP1127

HP2525

FP-VRC

S-VRC CTT








# Hydro-Park 1127 & 1123 | widely adaptable


Some key features like cost-effective, simple construction, safe & comfort parking, etc. have made this parking lift popular and the best seller across years. The max lifting capacity of 2700kg covers 90% common vehicle weights, providing a simple way to create 2 dependent parking spaces above each other. They are widely used for valet parking, car storage and other commercial parking scenarios with attendant, either it's indoor or outdoor. Operation can be easily done by turning the key switch in front.


## Specification


- Faster lifting speed with single cylinder
- For dependent parking
- Single platform for 2 vehicles
- Platform load capacity: 2300kg or 2700kg
- Vehicle height: up to 2050mm on ground floor
- -Usable platform width: 2100mm as standard, up to 2500mm
- Automatic shut-off when operator releases key switch
- -Stoppable at different heights to fit various vehicle & ceiling heights
- Auto lock release makes operation easier
- 24v control voltage avoids electric shock
- -Sharing post feature allows tandem installations in minimum space
- Galvanized waving platform, high-heel friendly
- Low maintenance cost
- Fine surface coating supported by Akzo Nobel powders
- -Free-standing design (optional) requires minimized construction cost
- Proven quality tested by TUV Germany; CE compliant

## Dimensions









Hydro-Park 1123

Hydro-Park 1127



2





# Hydro-Park 2525


# compact triple stacker


Eco-solution for creating additional parking spaces with minimal construction and maintenance costs in the form of a 3-level parking lift. Providing cost-effective solutions to meet different demands for indoor and outdoor purposes. Shortened posts' height makes it highly flexible in low ceiling spaces. Each lift accommodates max 2 SUVs and 1 sedan on the space of one. The upper platform of both models has capacity of 2000kg, and the lower platform can receive vehicles up to 2500kg.


# Specification


- Commercial-grade design
- Compact structure with 4 posts
- Patented design of overlapped platforms
- Platform load capacity: 2500kg (MF) & 2000kg (UF)
- Wide drive-thru up to 2492mm
- Car height: up to 2050mm
- Shortened post height allows fiting in more spaces
- 3.0kw strong hydraulic power pack
- Multiple anti-fall locks along each post
- Lock-release failure detection
- Up & down key switch
- Dust/oil dripping tray on each platform
- Durable powder coating finishing supported by Akzo Nobel

## Dimensions











Hydro-Park 2525

Hydro-Park 2625







# S-VRC


# car elevator on scissors


Obviously a costive concrete ramp with large footprint doesn't meet the modern demands gradually. And a scissor type car elevator could be one of the perfect alternatives featured by small covering area, higher safety, low maintenance, and flexible arrangements. For parking lots or car dealerships where it is impossible to organize an entrance ramp, or when the ramp could lead to risks in the event of snows or bad weather, S-VRC is a lifesaver in solving various tasks of inter-floor movements with loads up to 10 tons. It also comes in handy in warehouse complexes or production facilities for goods loading and unloading.

## Specification

- Single platform for elevating vehicle/goods only
- Hydraulic, dual cylinders
- Platform load capacity: up to 10,000kg
- Platform size: up to 6,000mm long, and 5,000mm wide
- Multiple stops possible, with max travel 13.0m
- Can be called on all stopping floors
- Completely invisible after descend to bottom
- Foundation pit is required on all conditions
- Premium safety and simple operation
- Pre-assembled structure, easy to install
- Fine finishing of powder coating
- Remote control is optional

### Dimensions








# FP-VRC car elevator in four posts


Need the most cost-effective solution to move vehicles from one floor to another? FP-VRC is one of such solutions to connect different floors, particularly when heavy construction is to be avoided. It's unique structure of four posts makes it self-supporting and totally feasible to stand directly on ground; or making a small pit of 200mm depth to have easier and comfort access at the entry level. It's highly customizable in dimensions, capacity and travel to accommodate various vehicles and different project demands.

## Specification

- For elevating vehicle/goods only
- Superior double-chains lifting system with hydraulic cylinder
- Platform load capacity: up to 6,000kg
- -Platform size: up to 7,000mm long, and 5,000mm wide
- Multiple stops possible, with max travel 13.0m
- Can be called on all stopping floors
- Optional to stand on ground or pit-installed
- Power pack can be relocated
- Premium safety and simple operation
- Remote control is optional

Dimensions














# aesthetic and comfort


Turn to aesthetic and convenience with Hands On Lifts car turntable. The CTT can be multi-functional, designed either to give more freedom to parking when driving forward is hard to reach, or show you the best angle that makes your vehicle sparkling. Dimensions and loading capacity can be tailor made to meet the demand best and accommodate various vehicles. It's an ideal solution where turning radius is tight, so the driver can enter or exit without difficult maneuvers and time consuming. It can also be ideal for car exhibition and photography. Remote control is optional to give more convenience and efficiency.


# Specification

- For both limited access & car photography purposes
- 360-degree rotation, clockwise and anti-clockwise
- Optional to install on ground or in pit
- Load capacity: up to 10.0 tons
- Platform diameter: upon request
- Thin platform design: min. 140mm high
- Speed adjustable from 0-1rpm
- Simplified structural design, easy to install
- Remote control included
- A variety of surface options
- Surrounding ramp is optional for ground install

## Dimensions







# Parking Systems

# Easy Process & Installation



# Plan

By choosing Hands On Lifts parking systems, you get a free project-based solution tailored to your needs.



# Manufacture

Every product is made with advanced technologies, highest quality materials and strict quality control.



# Installation

Hands On Lifts offers a variety of flexible, efficient and responsive support programs, e.g., Installation teams, service technicians, after sales support



## Maintenance

All new products are covered with 5 years structural warranty and 1 year parts warranty. And we are always available 365 days a year, 24 hours a day!